Lyme/Old Lyme Youth Survey 2019

DRAFT Report January 2019



228 West Town Street Norwich, CT 06360 (860) 848-2800 www.seracct.org

Table of Contents

Acknowledgements 4
Public Domain Notice
Disclaimer
Methods
Results and discussion
Introduction
Section 1: Demographics
Section 2: Tobacco, Alcohol, and Other Substance Use
Section 3: Individual/Peer Domain
Section 4: Family Domain
Section 5: School Domain
Section 6: Internet / Social Media 10
Section 6: Gambling
Section 7: Comparisons
References
Data Tables
Section 1. Demographics
Section 2. Tobacco, Alcohol, and Other Substance Use
Section 3. Individual/Peer Domain
Section 4. Family Domain
Section 5. School Domain
Section 6. Internet / Social Media
Section 7. Gambling
Section 8. Comparisons

<u>Tables</u>

Table 1. Survey Participants by Grade 1	2
Table 2. Gender of Participants Included in Analysis (Grades 7-12) 1	2
Table 3. Participation on School Sports Teams (Grades 7-12) 1	
Table 4. Reported Use of Core Substances 1	3
Table 5. Reported Use of Illicit Drugs	4
Table 6. Reported Use of Other Legal Products 1	6
Table 7. Frequency of Use of Energy Drinks 1	7
Table 8. Frequency of Use of Cigarettes 1	7
Table 9. Frequency of Use of Other Tobacco Products 1	8
Table 10. Frequency of Use of Marijuana 1	9
Table 11. Frequency of Use of Alcohol	21
Table 12. Frequency of Use of Electronic Cigarettes 2	23
Table 13. Age of Initiation of Use of Various Substances (Grades 7-12) 2	24
Table 14. Age of Initiation of Prescription Drug Mis-Use (total respondents in grades 7-12 = 21)	25
Table 15. Reported Use of Specific Types of Prescription Drugs Among Youth Who Report Ever Having	
Reported Use of Prescription Medications	25
Table 16. Perceived Harm of Substance Use	27
Table 16. Perceived Harm of Substance Use (continued)	28
Table 17. Peer Attitudes Toward Substance Use 2	29
Table 18. Perceived Availability	30
Table 19. Antisocial Behavior	31
Table 20. Self Concept	32
Table 21. Family Attitudes Toward Youth Substance Use 3	34
Table 22. Family Management	35
Table 23. Parental Attachment and Positive Family Involvement	36
Table 24. Perception of School Punishments	37
Table 25. Commitment to School	37
Table 26. Internet and Social Media	38
Table 27. Gambling Behavior	39
Table 28. Comparison of Lifetime Use Rates	10
Table 29. Comparison of Recent Use Rates 4	1

ACKNOWLEDGEMENTS

This youth survey was sponsored by the Lyme / Old Lyme Coalition - Community Action for Substance Free Youth (CASFY) and Lyme / Old Lyme Public Schools. The survey was derived from the Connecticut Governor's Prevention Initiative for Youth (GPIY) survey [1], which was given by the Connecticut Department of Mental Health and Addiction Services (DMHAS) and UConn Health Center in 2000. The survey has been designed to ascertain prevalence, attitudes and behaviors related to use of substances (tobacco, alcohol, electronic cigarettes and illicit drugs). We gratefully acknowledge refinements to the original survey made by coalitions and health professionals throughout Connecticut especially, East of the River Action for Substance-Abuse Elimination and Archie C. Swindell, Ph.D. of Quantitative Services. The modifications reflect changes in questions related to illegal substances and gambling behaviors, and the addition of questions related to other risk-taking behaviors.

The authors sincerely appreciate the cooperation of the Board of Education, Superintendent, principals and teachers of Lyme / Old Lyme Public Schools who approved and facilitated this survey. We would also like to thank the Lyme / Old Lyme Coalition - CASFY and Lyme / Old Lyme Public Schools for sponsoring the survey. We especially thank the youth who shared their personal experiences and opinions, and parents who permitted their children to take the survey. It is emphasized that the results of the survey are intended to provide information to support community-wide prevention planning. They are not intended to be an evaluation of any specific domain (school, family, community, etc).

This report draws liberally on earlier reports of GPIY survey results [1] for formatting and structure. Comparisons with national statistics utilize the Monitoring The Future (MTF) survey of 2018 [6].

PUBLIC DOMAIN NOTICE

All materials in this report are in the public domain and may be reproduced or copied without permission from Lyme / Old Lyme Coalition - CASFY, Lyme / Old Lyme Public Schools or SERAC. Citation of the source is appreciated. The data on which this report is based are subject to confidentiality regulations of HIPAA [2] and FERPA [3]

DISCLAIMER

Opinions expressed herein are the views of the authors and may not necessarily reflect the views, official policy or position of Lyme / Old Lyme Coalition -CASFY, Lyme / Old Lyme Public Schools, SERAC or other participating agencies or individuals.

METHODS

The survey instrument used to collect data for this report was developed using the Connecticut Governor's Prevention Initiative for Youth (GPIY)[1] Youth Survey for 6th – 12th Grade as the starting point. The survey has been modified by several regional prevention coalitions across Connecticut to reflect changes in patterns of substance use and gambling behaviors that have occurred in the years since the GPIY survey was last given by the Connecticut Department of Mental Health and Addiction Services (DMHAS). Whenever possible, questions in this survey were taken *verbatim* from the National Outcome Measures (ONDCP) [5] and the GPIY survey, which were in turn taken from national surveys such as the YRBSS [4]. The survey was approved by Lyme / Old Lyme Coalition – CASFY and Lyme / Old Public Schools.

The survey was given under the supervision of Lyme / Old Lyme Public Schools' teachers. Prior to administration of the survey, parents were given the opportunity to examine it and to excuse their child from participating by informing the school. Youth were also able to decline, on their own, to take the survey by simply logging off the computer.

The survey was administered online in December 2019 to youth enrolled in grades 6-12 at Lyme/Old Lyme schools using the SurveyMonkey.com website.

Guidelines for administration of the survey were developed by the University of Connecticut Health Center [1]. During survey administration, conversation among students was discouraged, and youth were reassured about the anonymity of the surveys and the need for their honest input.

All analyses and tabulations were carried out using SPSS[®] version 24 data analysis software system. Data checking and formatting operations were carried out in Microsoft Excel[®], and the final report was produced in Microsoft Word[®].



RESULTS AND DISCUSSION

Introduction

This 2019 survey of Lyme / Old Lyme youth is a survey of practices and attitudes related to substance use, mental health and problem gambling among the youth. Results are used to develop appropriate prevention and intervention strategies for youth and for general comparisons with national statistics. Youth in grades 6-12 in Lyme / Old Lyme public schools participated in the survey.

Section 1: Demographics

In December 2019 young people from Lyme / Old Lyme were surveyed regarding their use of substances such as alcohol, tobacco and other drugs and their perceptions about themselves, their families, their community and their school. The survey was administered on-line using SurveyMonkey.com to youth in grades 6-12 enrolled at Lyme / Old Lyme Middle School and High School. A total of 679 youth responded to the survey. All surveys were examined by standard methods to detect incomplete, inconsistent or non-serious responses, and 55 (8%) were excluded. Responses from the remaining 624 participants are summarized in this report. The overall participation rate across all grades (6-12) was 83% (Table 1). Grade-specific participation rates ranged from 89% among 9th graders to 78% among 11th graders.

For consistency with previous reports, throughout this report rates from grade 6 are reported individually but are not included in the calculations of total rates. Total rates include only rates from grades 7-12. Rates based on responses from fewer than 5 individuals are not reported (n<5).

Section 2: Tobacco, Alcohol, and Other Substance Use

Alcohol continues to be the substance of choice among Lyme / Old Lyme youth (Figures 1-2, Tables 4). Overall, 12% of youth in grades 7-12 report recent (past 30 days) use of alcohol and 26% report lifetime (ever in lifetime) use of alcohol. Grade-specific recent alcohol use rates range from 0% among 8th graders to 30% among 12th graders. Lifetime alcohol use is reported by fewer than 5 individuals in grades 6,7 and 8 but by 59% of youth in grade 12.

Marijuana and electronic cigarettes are the next most commonly used substances among Lyme/Old Lyme youth. About 1 in 5 youth in grades 7-12 report ever having used each substance. Recent use of marijuana is reported by 11% of youth in grades 7-12 while recent electronic cigarette use is reported by 10% of youth in grades 7-12.





Figure 1. Lifetime Use of Core Substances

Figure 2. Recent Use of Core Substances



In general, regular use of illicit drugs, other than marijuana, does not appear to be a large problem among Lyme / Old Lyme youth (Table 5). Although recent (past 30 day) use rates do not suggest that youth use illicit drugs frequently, lifetime use rates show that youth are experimenting with these substances, particularly synthetic marijuana (2% lifetime use) and hallucinogens (4% lifetime use).

Youth were asked about the frequency with which they have used various other substances. Tables 7-12 show details of the responses to those questions.

About 1 in 3 youth (31%) report ever having used an energy drink (Table 7). Youth who report ever having used energy drinks were asked if they had used energy drinks containing alcohol (Table A). About 18% of those youth reporting lifetime energy drink use, also report lifetime use of energy drinks combined with alcohol.

Youth reporting lifetime marijuana use were asked about sources from which they get marijuana (Table B).

• Among *lifetime* marijuana users in grades 7-12, the most commonly reported source of marijuana is **friends** (80%).

Youth reporting recent marijuana use were asked about locations of recent use (Table C).

• The most commonly reported location of recent use is **homes of others** (85%).

Approximately 23% of recent marijuana users report having been under the influence of marijuana while at school during the past 30 days (Table D).

Youth reporting lifetime alcohol use were asked about sources from which they get alcohol and the intensity of the alcohol use.

- The most commonly reported source of alcohol is friends (Table E, 67%). Other common sources are a party without an adult's permission (47%), a party with an adult's permission (46%) and parents without permission (46%)
- About two-thirds of lifetime drinkers (67%) report having consumed 4 or more alcoholic drinks in a single occasion at least once in their lifetime while about one-quarter report having done so in the past 30 days (24%, Table F).

Youth reporting recent alcohol use were asked where they had used alcohol in the past 30 days and if they had been under the influence at school in the past 30 days.

- The most commonly reported locations of alcohol use are **at the homes of other people** (81%) and **your home** (74%, Table G).
- Fewer than 5 (but more than 0) recent drinkers report having been under the influence of alcohol while at school in the past 30 days (Table H).

Youth who reported lifetime use of electronic cigarettes were asked about what they had vaped in their deices (Table I).

- About 90% of electronic cigarette users report ever having vaped nicotine.
- About 74% of lifetime electronic cigarette users report ever having vaped marijuana.
- About 20% of lifetime electronic cigarette users report ever having vaped other items.

Youth reporting lifetime use of certain substances (cigarettes, marijuana and alcohol) were asked about the age at which they began using those substances (Table 13). The calculated mean age of initiation of use for cigarettes, marijuana and alcohol are all about 14 years.

All youth were asked at what age they first mis-used a prescription drug to get high. Nearly all (97%) report never having mis-used a prescription medication to get high (Table 14).

Those youth who did report misuse of prescription drugs to get high (n=21) were asked about types of and sources of the prescription drugs they have used.

- Among youth in grades 7-12 who report lifetime prescription drug misuse, the most commonly misused type of medication is uppers (57%) followed by tranquilizers (35%), pain medications (28%) and downers (22%, Table 15).
- The most common source of mis-used prescription drugs is a friend gave it to you (Table J, 57%).

Section 3: Individual/Peer Domain

Perceived harm associated with substance use tends to be inversely correlated with use of that substance. Nearly threequarters of youth report that there is **great risk** associated with smoking 1 or more packs of cigarettes per day (72%) or with using prescription drugs not prescribed to them (76%, Table 16). About one-half of youth feel there is **great risk** associated with taking 1 or 2 drinks of an alcoholic beverage every day (51%), having 5 or more alcoholic beverages once or twice a week (51%). Overall about one-half of youth feel there is great risk associated with using electronic cigarettes. The fewest youth (34%) feel there is **great risk** associated with using marijuana 1 or 2 times a week.

Perceived attitudes of peers can be an important factor influencing behavior among youth. Overall, the percentage of youth who report that their friends think that their engaging in any of the specified behaviors is *very wrong* tends to decrease with increasing grade (Table 17). Perceived peer disapproval is highest for misuse of prescription drugs with 68% of youth reporting that their friends think it would be **very wrong** for them to misuse prescription drugs to get high. About one-half of youth perceive that their friends think it would be **very wrong** for them to have 1-2 drinks of alcohol nearly every day (53%) or to have 5 or more drinks 1-2 times per week (55%). Fewer youth, 48%, report that their friends think it would be very wrong for them to use marijuana. Still fewer youth (42%) feel that their friends think it would be very wrong for them to use electronic cigarettes. The fewest youth (35%) feel that their friends think it would be very wrong for them to gamble.

Youth were also asked how easy it would be for them to get various items such as alcohol, cigarettes, marijuana, other illicit drugs or prescription drugs (Table 18). In general, compared to younger youth, older youth consider all substances to be more readily available. Overall, illicit drugs other than marijuana are considered the most difficult to obtain (79% very hard) and alcohol is considered the easiest to obtain (25% very hard).

Youth were asked if they had engaged in certain antisocial behaviors in the past year (Table 19). About 22% of youth report having cheated on a test in school in the past year. About 16% report having stolen something worth less than \$100. About 12% report having ridden as a passenger with a driver (21 or older) under the influence of drugs or alcohol while 10% report having ridden with a driver (under 21) under the influence of drugs or alcohol and 3% report having driven while they were under the influence of drugs or alcohol.

In general, Lyme / Old Lyme youth appear to have positive self-concepts (Table 20). About 87% of youth agree or strongly agree with the statement "I believe that my life is going in a positive direction" while 79% agree or strongly agree with the statement "I am good at making decisions". Nearly 60% agree or strongly agree that they get enough sleep on most nights. However, 67% agree or strongly agree that they often feel stressed and about 50% agree or strongly agree that they often feel nervous or anxious. About 20% report that in the past year they have felt sad or hopeless almost every day for 2 weeks or more so that it stopped them from doing their usual activities while about 13% report having had thoughts of committing suicide in the past 12 months. About 84% of youth agree or strongly agree that they have someone they can talk to when something is bothering them.

Section 4: Family Domain

Youth were asked about their parents' disapproval of their use of alcohol, tobacco, marijuana, prescription drugs and gambling (Table 21). Perceived parental disapproval is highest for misuse of prescription drugs (92% very wrong). Perceived parental disapproval is lowest for gambling (44% very wrong). Perceived parental disapproval of alcohol use varies depending upon how the question is asked. About 57% of youth report that their parents feel it would be very wrong for them to *drink alcohol*. However, 84% of youth report that their parents feel it would be very wrong for them to *drink alcohol*. However, 84% of youth report that their parents feel it would be very wrong for them to have 5 or more drinks 1-2 times per week. Youth generally feel that their parents disapprove of smoking tobacco (83% very wrong) and using electronic cigarettes (80% very wrong).

Most youth (86%) report that it is **definitely true** *or* **mostly true** that they are usually disciplined if they break one of their parents' rules (Table 22). Most youth, 70-75%, report that it is **definitely true** that their families have clear rules discouraging their use of cigarettes/tobacco, electronic cigarettes, marijuana or prescription drugs. Fewer youth (57%) report that it is **definitely true** that their families have clear rules discouraging their use of alcoholic beverages.

Nearly all youth (90% or more) report that it is **definitely true** *or* **mostly true** that they feel very close to their parents and that they feel loved and valued by their family (Table 23). About 72% of youth report that it is **definitely true** *or* **mostly true** that they talk to their parent or guardian when they have a problem.

Section 5: School Domain

Overall, 15-20% of youth report that they **do not know** the most severe thing that is likely to happen to a student caught with cigarettes, alcohol or marijuana or electronic cigarettes at school (Table 24).

Nearly all youth (93%) report that it is **definitely true** or **mostly true** that they try hard to do good work at school (Table 25).

Section 6: Internet / Social Media

The most commonly reported reasons for using the internet/social media are for entertainment (77%), to contact / connect with people (69%) and to keep updated (60%, Table 26).

The most commonly reported emotion experienced when using the internet/social media is happiness (68%).

Overall, about one-half of youth report that their internet/social media use gives them a positive outlook (48%). However, 14% report that it gives them a feeling of social/emotional isolation.

Section 6: Gambling

Most youth (80%) report never having engaged in gambling behavior but about 1% of youth report engaging in gambling behavior on a daily basis (Table 27).

Section 7: Comparisons

In this section, current (2019) Lyme / Old Lyme data is compared with regional data (SERAC regional youth 2016-2017), national data (Monitoring the Future 2018 [6]) and previous Lyme / Old Lyme data (2011, 2013, 2015, 2017) for grades 8, 10 and 12.

Overall. lifetime and recent substance use rates reported by Lyme / Old Lyme youth (including those for cigarettes, alcohol and marijuana) are similar to or lower than the corresponding national rates (Tables 28 and 29). Lifetime hallucinogen use among youth in grade 12 is about twice the corresponding national rate.

Figure 4 shows recent use rates for core substances among LOL youth in grades 8,10 and 12 in 2011, 2013, 2015, 2017 and 2019. Recent use of cigarettes remains low (and relatively stable) compared to other substances. Alcohol use also appears relatively stable. Recent marijuana use has tended to increase among 12th graders.

Figure 5 show trends in perceived availability for various substances. Youth continue to perceive that alcohol is the easiest to obtain. Older youth tend to perceive that cigarettes, marijuana and other illicit drugs are more available than do younger youth.

Figure 6 shows trends in perceived parental disapproval for various substances. Perceived parental disapproval of cigarette use, alcohol use, marijuana use and prescription drug misuse have all tended to increase or remain constant over time.

Figure 8 shows trends in perceived harm over time. Perceived harm has tended to remain constant or increase for cigarettes, alcohol and prescription drugs. However, perceived harm for marijuana tends to be more variable and has declined especially among 12th graders.

REFERENCES

- 1. Governor's Prevention Initiative for Youth. 2000. Youth Survey. Available: <u>http://www.ct.gov/dmhas/LIB/dmhas/infobriefs/090904.pdf</u>
- 2. U.S. Department of Health & Human Services. Office for Civil Rights Understanding Health Information Privacy. Available: <u>http://www.hhs.gov/ocr/privacy/hipaa/understanding/index.html</u>
- 3. U.S. Department of Education. Family Educational Rights and Privacy Act (FERPA): <u>http://www.ed.gov/policy/gen/guid/fpco/ferpa/index.html</u>.
- 4. Centers for Disease Control. YRBSS: Youth Risk Behavior Surveillance System. Available: <u>https://www.cdc.gov/healthyyouth/data/yrbs/index.htm</u>
- 5. Office of National Drug Control Policy (ONDCP). Drug Free Communities Support Program National Evaluation: 2016 National Evaluation End of Year Report <u>https://www.whitehouse.gov/sites/whitehouse.gov/files/ondcp/dfc/DFC2016_EndYearReport_final_2017_Sept12.</u> <u>pdf</u>
- 6. University of Michigan. 2018. Monitoring The Future, a continuing study of American youth. Available: http://monitoringthefuture.org/

DATA TABLES

Section 1. Demographics

Grade	Official Enrollment (n)	Survey Participants (n)	Survey Participants EXCLUDED from the Analysis (n)	Survey Participants INCLUDED in Analysis (n)	Participation Rate (%)
6	88	84	7	77	88%
7	93	82	5	77	83%
8	95	89	8	81	85%
9	106	102	8	94	89%
10	127	111	11	100	79%
11	120	99	6	93	78%
12	126	112	10	102	81%
<i>Grades</i> (6-12)	755	679	55	624	83%
Grades (7-12)	667	595	48	547	82%

Table 1. Survey Participants by Grade

*A total of 679 youth in grades 6-12 participated in the survey. Responses from a total of 55 youth (8%) were excluded from the analysis due to dishonest or inconsistent answers. The rates presented in this report are based on the responses from the remaining 624 youth.

Table 2. Gender of Participants Included in Analysis (Grades 7-12)

Gender	Frequency	Percent
Genuer	(n)	(%)
Female	276	50.5%
Male	236	43.1%
I prefer not to say	15	2.7%
l prefer to self-describe	17	3.1%
Missing	3	0.5%
Total	547	100%

Table 3. Participation on School Sports Teams (Grades 7-12)

In the past year, have you participated on a school sports team?	Percent (%)
Yes	70.0%
No	30.0%
Total	100%

					Gra	ade			
		6	7	8	9	10	11	12	Tota
									7-12
Cigorottoo	Never	98.7%	98.7%	100.0%	96.8%	93.9%	88.2%	85.3%	93.3%
Cigarettes	Lifetime	n<5	n<5	0.0%	n<5	6.1%	11.8%	14.7%	6.7%
	Recent	0.0%	n<5	0.0%	n<5	n<5	5.4%	5.9%	3.0%
Other Tobacco	Never	100.0%	100.0%	98.8%	97.8%	94.8%	92.3%	87.1%	94.7¢
Products	Lifetime	0.0%	0.0%	n<5	n<5	5.2%	7.7%	12.9%	5.3%
	Recent	0.0%	0.0%	0.0%	n<5	n<5	n<5	5.0%	2.3%
Marijuana	Never	98.7%	98.7%	96.3%	88.2%	81.1%	71.7%	54.5%	80.20
Marijuana	Lifetime	n<5	n<5	n<5	11.8%	18.9%	28.3%	45.5%	19.8
	Recent	0.0%	n<5	n<5	5.4%	7.4%	14.1%	29.7%	10.80
Alashal	Never	96.1%	96.1%	95.1%	85.9%	77.4%	58.2%	41.2%	73.99
Alcohol	Lifetime	n<5	n<5	n<5	14.1%	22.6%	41.8%	58.8%	26.1
	Recent	n<5	n<5	0.0%	5.4%	9.7%	19.8%	29.9%	11.99
ectronic Cigarettes	Never	98.6%	97.4%	93.8%	88.2%	82.3%	72.5%	54.5%	80.00
	Lifetime	n<5	n<5	6.2%	11.8%	17.7%	27.5%	45.5%	20.0
	Recent	0.0%	0.0%	n<5	6.5%	10.4%	9.9%	24.8%	9.6%

Section 2. Tobacco, Alcohol, and Other Substance Use

					Gra	ade			
		6	7	8	9	10	11	12	Total 7-12
Qaasina	Never	100.0%	100.0%	100.0%	97.7%	100.0%	100.0%	97.8%	99.2%
Cocaine	Lifetime	0.0%	0.0%	0.0%	n<5	0.0%	0.0%	n<5	n<5
	Recent	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Ornali	Never	100.0%	100.0%	100.0%	98.9%	100.0%	100.0%	100.0%	99.8%
Crack	Lifetime	0.0%	0.0%	0.0%	n<5	0.0%	0.0%	0.0%	n<5
	Recent	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Never	100.0%	100.0%	100.0%	98.9%	97.7%	100.0%	97.8%	99.0%
MDMA	Lifetime	0.0%	0.0%	0.0%	n<5	n<5	0.0%	n<5	1.0%
	Recent	0.0%	0.0%	0.0%	0.0%	n<5	0.0%	n<5	n<5
Hellusinogona	Never	100.0%	100.0%	100.0%	96.6%	95.4%	95.5%	87.6%	95.6%
Hallucinogens	Lifetime	0.0%	0.0%	0.0%	n<5	n<5	n<5	12.4%	4.4%
	Recent	0.0%	0.0%	0.0%	n<5	n<5	n<5	5.6%	2.0%
Heroin	Never	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0
	Lifetime	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Recent	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5. Reported Use of Illicit Drugs

Table 5. Reported Use	e of illicit Drug		u)							
		Grade								
		6	7	8	9	10	11	12	Total	
									7-12	
Methamphetamine	Never	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
	Lifetime	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
	Recent	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Synthetic Marijuana	Never	100.0%	100.0%	100.0%	94.4%	100.0%	94.3%	98.9%	97.8%	
	Lifetime	0.0%	0.0%	0.0%	5.6%	0.0%	5.7%	n<5	2.2%	
	Recent	0.0%	0.0%	0.0%	n<5	0.0%	n<5	0.0%	1.4%	
Any illicit drug*	Never	100.0%	100.0%	100.0%	96.6%	94.3%	95.5%	87.6%	95.4%	
	Lifetime	0.0%	0.0%	0.0%	n<5	5.7%	n<5	12.4%	4.6%	
	Recent	0.0%	0.0%	0.0%	n<5	n<5	n<5	5.6%	2.2%	

Table 5. Reported Use of Illicit Drugs (continued)

* includes cocaine, crack, ecstasy, hallucinogens, heroin, and methamphetamine (in previous years, GHB has been included as well)



Table 6. Reported Use of Other Legal Products

						Grade			
		6	7	8	9	10	11	12	Tota 7-1
Over the Counter	Never	94.5%	96.0%	98.8%	100.0%	98.9%	100.0%	93.2%	97.8%
Medications	Lifetime	n<5	n<5	n<5	0.0%	n<5	0.0%	6.8%	2.2%
	Recent	n<5	n<5	0.0%	0.0%	0.0%	0.0%	n<5	n<5
Inhalants	Never	95.9%	96.0%	93.8%	95.5%	97.7%	93.2%	94.4%	95.1º
	Lifetime	n<5	n<5	6.2%	n<5	n<5	6.8%	5.6%	4.9%
	Recent	0.0%	0.0%	0.0%	n<5	0.0%	n<5	n<5	n<5
Energy Drinks	Never	83.6%	75.0%	74.1%	73.0%	71.3%	60.9%	59.6%	68.6
	Lifetime	16.4%	25.0%	25.9%	27.0%	28.7%	39.1%	40.4%	31.4
	Recent	n<5	9.2%	n<5	12.4%	12.6%	18.4%	18.0%	12.9

Think had	k over the next 20		Grade								
	Think back over the past 30 days. On how many days, if any,		7	8	9	10	11	12	Total		
did you us	se the following?								7-12		
An energy	NEVER	83.6%	75.0%	74.1%	73.0%	71.3%	60.9%	59.6%	68.6%		
drink (like Red Bull,	Not in the past 30 days	13.7%	15.8%	21.0%	14.6%	16.1%	20.7%	22.5%	18.5%		
Monster, Amp or	Occasionally (1 - 5 days)	n<5	n<5	n<5	11.2%	10.3%	12.6%	14.6%	9.7%		
Rock Star)	Frequently (6 - 20 days)	0.0%	n<5	0.0%	n<5	n<5	5.7%	n<5	2.0%		
	Almost every day (21+ days)	0.0%	n<5	0.0%	0.0%	0.0%	0.0%	n<5	1.2%		

Table 7. Frequency of Use of Energy Drinks

Table A. Percentage of Energy Drink Users Who Report Using Energy Drinks with Alcohol (unweighted n=159)*

	Grade										
	6	7	8	9	10	11	12	Total 7-12			
NEVER	100.0%	94.1%	81.0%	78.3%	79.2%	79.4%	81.8%	81.6%			
Not in the past 30 days	0.0%	n<5	n<5	n<5	n<5	20.6%	15.2%	15.8%			
Occasionally (1 - 5 days)	0.0%	0.0%	0.0%	n<5	n<5	0.0%	n<5	n<5			
Frequently (6 - 20 days)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
Almost every day (21+ d)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			

*This question was asked only of youth who reported having used energy drinks.

Table 8. Frequency of Use of Cigarettes Think back over the past 30 Grade days. On how many days, if 6 7 8 9 10 11 any, did you use the following? Cigarettes NEVER 98.7% 98.7% 100.0% 96.8% 93.9% 88.2% Not in the past n<5 0.0% 0.0% n<5 n<5 6.5% 30 days Occasionally

(1 - 5 days)	0.0%	n<5	0.0%	n<5	n<5	n<5	4.9%	2.2%
Frequently (6 - 20 days)	0.0%	0.0%	0.0%	0.0%	n<5	n<5	0.0%	n<5
Almost every day (21+ days)	0.0%	0.0%	0.0%	0.0%	n<5	0.0%	n<5	n<5

12

85.3%

8.8%

Total

7-12

93.3%

3.7%

Table 9. Frequ	ency of Use of Oth	er Tobacco	o Products						
	over the past 30				G	rade			
	w many days, if	6	7	8	9	10	11	12	Total
any, did you u	se the following?								7-12
Other	NEVER	100.0%	100.0%	98.8%	97.8%	94.8%	92.3%	87.1%	94.7%
tobacco products (like	Not in the past 30 days	0.0%	0.0%	n<5	n<5	n<5	n<5	7.9%	3.0%
cigars, snuff, chewing	Occasionally (1 - 5 days)	0.0%	0.0%	0.0%	n<5	n<5	n<5	n<5	1.7%
tobacco, smoking	Frequently (6 - 20 days)	0.0%	0.0%	0.0%	0.0%	0.0%	n<5	n<5	n<5
tobacco from a pipe)	Almost every day (21+ days)	0.0%	0.0%	0.0%	0.0%	n<5	0.0%	0.0%	n<5

T-1-1-0 Fof Llos of Other Tohanan Drodu

Think back o	over the past 30				G	rade			
•	w many days, if	6	7	8	9	10	11	12	Total
any, ulu you u	se the following?								7-12
Marijuana or	NEVER	98.7%	98.7%	96.3%	88.2%	81.1%	71.7%	54.5%	80.2%
hashish	Not in the past 30 days	n<5	0.0%	n<5	6.5%	11.6%	14.1%	15.8%	9.1%
	Occasionally (1 - 5 days)	0.0%	n<5	0.0%	n<5	n<5	7.6%	16.8%	6.0%
	Frequently (6 - 20 days)	0.0%	0.0%	0.0%	0.0%	n<5	n<5	7.9%	2.5%
	Almost every day (21+ days)	0.0%	0.0%	n<5	n<5	n<5	n<5	5.0%	2.2%

Lifetime Marijuana User - Sub-analysis Table B. Percentage of Lifetime Marijuana Users Who Report

	Ever Getting (total respo	-						
Source							ade	
	6	7	8	9	10	11	12	Total
				_				7-12
Your parents, with permission	0.0%	0.0%	0.0%	n<5	n<5	n<5	n<5	12.0%
Your parents, without permission	0.0%	0.0%	n<5	50.0%	31.3%	30.8%	25.0%	30.1%
Your brothers or sisters	0.0%	0.0%	0.0%	n<5	37.5%	n<5	18.2%	19.1%
Your friends	0.0%	0.0%	n<5	60.0%	81.3%	88.5%	81.8%	80.1%
Other people buy it for you	0.0%	0.0%	n<5	50.0%	50.0%	57.7%	46.5%	50.1%
You buy it in person	0.0%	0.0%	0.0%	60.0%	37.5%	52.0%	54.5%	50.0%
You buy it online	0.0%	0.0%	0.0%	n<5	n<5	n<5	0.0%	n<5

Recent Marijuana User - Sub-analysis

Table C. Percentage of Recent Marijuana Users Who Report Using Marijuana in Various Places in the Past 30 days (total respondents in grades 7-12 =57)

				•	Gra	de		
In the past 30 days, did you use marijuana in any of the following places?	6	7	8	9	10	11	12	Total 7-12
At your home On the street, in the woods or in	*	0.0%	0.0%	n<5	n<5	46.2%	60.7%	57.5%
parks or fields	*	0.0%	0.0%	n<5	n<5	61.5%	42.9%	48.0%
At the homes of other people	*	0.0%	0.0%	n<5	100.0%	84.6%	85.7%	84.8%
At school or at school activities like dances or sporting events	*	0.0%	0.0%	n<5	n<5	n<5	21.4%	21.2%
While driving	*	0.0%	0.0%	0.0%	n<5	n<5	25.0%	19.3%
At a party with an adult present	*	0.0%	0.0%	n<5	n<5	38.5%	42.9%	40.3%
At a party without an adult present *No youth in Grade 6 reported recent marijua	* na use	0.0%	0.0%	n<5	n<5	61.5%	85.7%	71.2%
** Table D. Percentage of Recent Ma	-	ers Who Re	port Havin	ng Been L		nfluence o	f Marijuar	18
		School in the		-				
During the past 20 days have	(total respo	naents in g	jiaues 7-1	2 =33)				

During the past 30 days have		Gra	ade *					
you been under the influence of marijuana while you were	6	7	8	9	10	11	12	Total
at school?								7-12
Yes	*	**	0.0%	n<5	n<5	n<5	25.0%	23.3%

*No youth in Grade 6 reported recent marijuana use

**No recent marijuana users in Grade 7 answered this question

I hink back	over the past 30	ohol				Gra	ide			
days. On h	ow many days, if use the following?	6	7	8		9	10	11	12	Total 7-12
Drink one or	NEVER	96.1%	96.1%	b 95.	1% 8	5.9%	77.4%	58.2%	41.2%	73.9%
more drinks of an alcoholic	Not in the past 30 days	n<5	n<5	N<	:5 8	.7%	12.9%	22.0%	28.9%	14.2%
beverage (more than	Occasionally (1 - 5 days)	n<5	n<5	0.0	9%	n<5	8.6%	19.8%	26.8%	10.8%
a sip, and NOT	Frequently (6 - 20 days)	0.0%	0.0%	0.0	%	n<5	n<5	0.0%	n<5	0.9%
including religious	Almost every day (21+ days)	0.0%	0.0%	0.0	1%	n<5	0.0%	0.0%	0.0%	n<5
activities)										
_			0		rom Varic grades 7				_	
	Source		6	7	8	9	Grade 10	11	12	Total
Your pare										7-12
•	nts, with permission	1	00.0%	n<5	n<5	n<5	26.3%	45.9%	34.0%	
	nts, with permission ts, without permissior		00.0% n<5	n<5 0.0%	n<5 n<5	n<5 66.7%		45.9% 51.4%	34.0% 40.0%	36.4%
Your parent	·	1					6 47.4%			36.4% 45.9%
Your paren	ts, without permissior	1	n<5	0.0%	n<5	66.7%	6 47.4% 6 57.9%	51.4%	40.0%	7-12 36.4% 45.9% 66.6% 22.4%
Your paren Y Your b	ts, without permissior ′our friends	1	n<5 0.0%	0.0% 0.0%	n<5 0.0%	66.7% 41.7%	 47.4% 57.9% 21.1% 	51.4% 78.4%	40.0% 74.0%	36.4% 45.9% 66.6% 22.4%
Your parent Y Your b Other pe	ts, without permissior 'our friends rothers or sisters	1	n<5 0.0% 0.0%	0.0% 0.0% 0.0%	n<5 0.0% n<5	66.7% 41.7% 41.7%	 6 47.4% 6 57.9% 6 21.1% n<5 	51.4% 78.4% 24.3%	40.0% 74.0% 18.0%	36.4% 45.9% 66.6%
Your parent Y Your b Other pe A party with	ts, without permissior Your friends rothers or sisters cople buy it for you	n	n<5 0.0% 0.0%	0.0% 0.0% 0.0%	n<5 0.0% n<5 n<5	66.79 41.79 41.79 n<5	 47.4% 57.9% 21.1% n<5 26.3% 	51.4% 78.4% 24.3% 43.2%	40.0% 74.0% 18.0% 49.0%	36.4% 45.9% 66.6% 22.4% 39.9%
Your parent Your b Other pe A party with A party witho	ts, without permissior Your friends rothers or sisters cople buy it for you an adult's permission	n on	n<5 0.0% 0.0% 0.0%	0.0% 0.0% 0.0% n<5	n<5 0.0% n<5 n<5 n<5	66.79 41.79 41.79 n<5 41.79	 47.4% 57.9% 21.1% n<5 26.3% 52.6% 	51.4% 78.4% 24.3% 43.2% 56.8%	40.0% 74.0% 18.0% 49.0% 48.0%	36.4% 45.9% 66.6% 22.4% 39.9% 46.1%

Lifetime Drinker- Sub-analysis Table F. Intensity of Alcohol Use Among Lifetime Drinkers (total respondents in grades 7-12 =124)

liolai resp		i yraucs r	-12 -124/					
How often have you drank 4 or more alcoholic drinks				Gr	ade			
(beer, wine, wine coolers, mixed drinks, hard liquor	6	7	8	9	10	11	12	Total
etc.) during a single occasion?								7-12
NEVER	100.0%	100.0%	100.0%	8.3%	42.1%	29.7%	30.0%	33.1%
Not in the past 30 days	0.0%	0.0%	0.0%	66.7%	42.1%	51.4%	36.0%	42.7%
Occasionally (1 - 5 days)	0.0%	0.0%	0.0%	n<5	n<5	18.9%	28.0%	20.9%
Frequently (6 - 20 days)	0.0%	0.0%	0.0%	0.0%	n<5	0.0%	n<5	n<5
Almost every day (21 days or more)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	n<5	n<5
Binge Ever (Lifetime)	0.0%	0.0%	0.0%	91.7%	57.9%	70.3%	70.0%	66.9%
Binge Recent (Past 30 days)	0.0%	0.0%	0.0%	n<5	n<5	18.9%	34.0%	24.1%

Recent Drinker- Sub-analysis*

 Table G. Percentage of Recent Drinkers Who Report Using Alcohol in Various Places in the Past 30 days (total respondents in grades 7-12 =62)

				,	Gra	de		
In the past 30 days, did you use alcohol	6	7	8	9	10	11	12	Total
in any of the following places?								7-12
	100.00/	0.001						
At your home	100.0%	0.0%	*	100.0%	85.7%	70.6%	69.2%	73.9%
On the street, in the woods or in	0.00/	0.00/	*	T		00.40/		00.00/
parks or fields	0.0%	0.0%		n<5	n<5	29.4%	n<5	22.3%
At the homes of other people	0.0%	0.0%	*	100.0%	85.7%	76.5%	80.8%	81.3%
At school or at school activities	0.070	0.070		100.070	00.170	10.070	00.070	01.070
like dances or sporting events	0.0%	0.0%	*	n<5	0.0%	n<5	n<5	n<5
While driving	0.0%	0.0%	*	0.0%	0.0%	0.0%	0.0%	0.0%
At a party with an adult present	0.0%	0.0%	*	100.0%	n<5	47.1%	57.7%	57.0%
At a party without an adult present	0.0%	0.0%	*	n-5	n<5	64.7%	73.1%	60 40/
At a party without an adult present *No youth in Grade 8 report recent alcohol		0.070		n<5	C~II	04.7%	13.1%	68.4%

*No youth in Grade 8 report recent alcohol use

***Recent Drinker- Sub-analysis ***

 Table H. Percentage of Recent Drinkers Who Report Having Been Under the Influence of Alcohol While at School in the

 Past 30 days

	(total respo	ndents in	uays grades 7-12	2 =54)			
During the past 30 days have	•	Gra	de *		•			
you been under the influence of alcohol while you were at	6	7	8	9	10	11	12	Total
school?								7-12
Yes	0.0%	*	*	n<5	0.0%	n<5	n<5	n<5

*No youth in grades 7, or 8 answered this question

Table 12. Fr	requency of Use of Electronic	c Cigarette	s						
Think back	over the past 30 days. On				Gra	ade			
	days, if any, did you use	6	7	8	9	10	11	12	Total
•	he following?								7-12
E-	NEVER	98.6%	97.4%	93.8%	88.2%	82.3%	72.5%	54.5%	80.0%
cigarettes	Not in the past 30 days	n<5	n<5	n<5	5.4%	7.3%	17.6%	20.8%	10.4%
(electronic	Occasionally (1-5 days)	0.0%	0.0%	n<5	0.0%	7.3%	n<5	9.9%	4.0%
cigarettes	Frequently (6 - 20 days)	0.0%	0.0%	0.0%	n<5	n<5	n<5	n<5	2.1%
	Almost every day (21+d)	0.0%	0.0%	0.0%	n<5	n<5	n<5	11.9%	3.6%

Table I. Percentage of Electronic Cigarettes Users Who Report Vaping Various Substances (unweighted n=105)*

	vaping	j valiou	S SUDSIANCE	ıs (unvelyn		rade			
	en have you used vaping to vape the following?	6	7	8	9	10	11	12	Total 7-12
Nicotine	NEVER	**	0.0%	n<5	n<5	n<5	n<5	n<5	9.5%
	Not in the past 30 days	**	100.0%	n<5	n<5	35.3%	52.0%	41.3%	43.9%
	Occasionally (1 - 5 days)	**	0.0%	n<5	0.0%	29.4%	n<5	17.4%	15.4%
	Frequently (6 - 20 days)	**	0.0%	0.0%	n<5	n<5	n<5	n<5	13.3%
	Almost every day (21+d)	**	0.0%	0.0%	n<5	n<5	n<5	26.1%	17.9%
Marijuana	NEVER	**	0.0%	n<5	n<5	29.4%	28.0%	21.7%	25.7%
	Not in the past 30 days	**	100.0%	n<5	n<5	41.2%	36.0%	32.6%	36.2%
	Occasionally (1 - 5 days)	**	0.0%	0.0%	n<5	n<5	n<5	23.9%	19.1%
	Frequently (6 - 20 days)	**	0.0%	0.0%	n<5	n<5	n<5	13.0%	8.5%
	Almost every day (21+d)	**	0.0%	0.0%	n<5	n<5	n<5	n<5	10.5%
Other	NEVER	**	100.0%	100.0%	90.0%	75.0%	73.9%	79.5%	79.8%
items	Not in the past 30 days	**	0.0%	0.0%	n<5	n<5	n<5	18.2%	15.2%
	Occasionally (1 - 5 days)	**	0.0%	0.0%	0.0%	n<5	n<5	0.0%	n<5
	Frequently (6 - 20 days)	**	0.0%	0.0%	0.0%	0.0%	n<5	0.0%	n<5
	Almost every day (21+d)	**	0.0%	0.0%	0.0%	0.0%	0.0%	n<5	n<5

*This question was asked only of youth who report ever having used electronic cigarettes

**No youth in Grade 6 answered this question

What was your age in years when you FIR	ST used the following?	Frequency (n, unweighted)	Percent (%) NA 22.4% 35.4% 32.4% NA 19.0% 46.1% 31.9% 4.6% 15.9% 52.8% 26.7%
	10		NIA
Cigorottop	10 yrs or younger	n<5	
Cigarettes <i>Mean age of initiation: 13.9 yrs</i>	11 - 13	7	
	14 - 15	11	
	16 or older	10	32.4%
	10 yrs or younger	n<5	NA
Marijuana	11 - 13	19	19.0%
Mean age of initiation: 14.4 yrs	14 - 15	45	46.1%
	16 or older	31	31.9%
Alcoholic Beverages	10 yrs or younger 11 - 13	6 20	
Mean age of initiation: 14.3 yrs	14 - 15	65	52.8%
	16 or older	33	26.7%

Table 13. Age of Initiation of Use of Various Substances (Grades 7-12)

What was your age in years when you FIRST mis-used a PRESCRIPTION drug to get high?	Percent (%)
I have never mis-used a prescription drug to get high	96.7%
10 yrs or younger	n<5
11 – 13	n<5
14 – 15	1.5%
16 or older	1.0%

Table 14. Age of Initiation of Prescription Drug Mis-Use (total respondents in grades 7-12 = 21)

Table 15. Reported Use of Specific Types of Prescription Drugs Among Youth Who Report Ever Having Reported Use of Prescription Medications

(Asked only of youth who reported ever having mis-used a prescription drug to get high) Total respondents in grades 7-12 = 14

						ime users ade				Estimated % of All
		6*	7*	8*	9	10	11	12	Total (7-12)	Youth (7-12)
Pain	Never				n<5	n<5	n<5	n<5	71.5%	
Medication	Lifetime				n<5	n<5	n<5	n<5	28.5%	0.7%
	Recent				0.0%	0.0%	0.0%	n<5	n<5	0.4%
Downers	Never				100.0%	n<5	n<5	n<5	78.0%	
	Lifetime				0.0%	n<5	n<5	n<5	22.0%	0.5%
	Recent				0.0%	0.0%	0.0%	n<5	n<5	0.2%
Tranquilizers	Never				n<5	100.0%	100.0%	n<5	64.9%	
	Lifetime				n<5	n<5	n<5	n<5	35.1%	0.9%
	Recent				n<5	0.0%	0.0%	n<5	n<5	0.5%
Uppers	Never				n<5	n<5	n<5	n<5	43.1%	
opporo	Lifetime				n<5	n<5	n<5	n<5	56.9%	1.5%
	Recent				n<5	0.0%	0.0%	n<5	n<5	0.5%
Steroids	Never				100.0%	100.0%	100.0%	100.0%	100.0%	
01010140	Lifetime				0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Recent				0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

* No youth in grades 6,7, or 8 answered this question

	(total re	esponder	nts in grad	les 7-12 -	= 14)				
					Grade				
Source	6*	7*	8*	9	10	11	12	Total	Rank
								7-12	7-12
Your home				n<5	n<5	n<5	n<5	n<5	4
Someone else's home				n<5	n<5	n<5	n<5	34.7%	3
Your brother or sister gave it to you				n<5	n<5	n<5	n<5	n<5	6
A friend gave it to you				n<5	n<5	n<5	n<5	56.9%	1
Someone at a party gave it to you				n<5	n<5	n<5	n<5	n<5	5
You bought it (ie from a dealer)				n<5	n<5	n<5	n<5	36.0%	2
You bought it online				n<5	n<5	n<5	n<5	0.0%	7
* No youth in grades 6,7 or & **1 most frequently reported				ported sol	urce				

Table J. Percentage of Lifetime Prescription Drug Mis-Users Who ReportEver Getting Prescription Drugs from Various Sources(total respondents in grades 7-12 = 14)

Section 3. Individual/Peer Domain

How much do pe	ople risk harming					Grade			
themselves wh		6	7	8	9	10	11	12	Total
follow	ving?								7-12
Smoke	No Risk	n<5	6.7%	n<5	n<5	n<5	n<5	n<5	3.0%
cigarettes, 1 or	Slight Risk	n<5	n<5	n<5	n<5	0.0%	n<5	n<5	2.3%
more packs a	Moderate Risk	19.2%	16.0%	11.1%	15.7%	10.2%	11.4%	13.3%	12.9%
day	Great Risk	64.4%	60.0%	80.2%	69.7%	70.5%	77.3%	74.4%	72.3%
	I Don't Know.	13.7%	14.7%	4.9%	11.2%	14.8%	6.8%	5.6%	9.6%
Drink alcoholic	No Risk	n<5	n<5	n<5	n<5	5.7%	n<5	n<5	2.4%
beverages, 5 or	Slight Risk	9.7%	13.3%	n<5	7.9%	11.4%	12.6%	13.5%	10.7%
more, once or	Moderate Risk	27.8%	33.3%	14.8%	32.6%	20.5%	29.9%	30.3%	26.9%
twice a week	Great Risk	44.4%	37.3%	72.8%	48.3%	47.7%	49.4%	48.3%	50.6%
	I Don't Know.	15.3%	14.7%	6.2%	10.1%	14.8%	5.7%	5.6%	9.4%
Drink alcoholic	No Risk	n<5	2.8%						
beverages, 1 or	Slight Risk	6.8%	17.6%	n<5	7.9%	10.2%	9.2%	n<5	8.5%
2 drinks, nearly	Moderate Risk	20.5%	28.4%	27.2%	23.6%	21.6%	20.7%	37.8%	26.5%
everyday	Great Risk	54.8%	33.8%	58.0%	53.9%	48.9%	59.8%	48.9%	50.9%
	I Don't Know.	12.3%	16.2%	11.1%	13.5%	14.8%	6.9%	6.7%	11.3%
Use marijuana	No Risk	n<5	n<5	n<5	9.0%	13.8%	23.9%	31.1%	14.9%
1 or 2 times a	Slight Risk	n<5	16.2%	10.0%	14.6%	13.8%	18.2%	28.9%	17.2%
week	Moderate Risk	21.9%	24.3%	25.0%	19.1%	23.0%	25.0%	20.0%	22.7%
	Great Risk	49.3%	39.2%	55.0%	41.6%	33.3%	26.1%	15.6%	34.3%
	I Don't Know.	20.5%	16.2%	7.5%	15.7%	16.1%	6.8%	n<5	11.0%
Misuse	No Risk	n<5	2.2%						
prescription	Slight Risk	0.0%	n<5	n<5	n<5	n<5	n<5	n<5	1.7%
drugs to get	Moderate Risk	11.0%	10.8%	16.0%	13.5%	4.5%	10.2%	6.7%	10.1%
high	Great Risk	74.0%	70.3%	69.1%	69.7%	75.0%	81.8%	85.6%	75.7%
	I Don't Know.	13.7%	12.2%	12.3%	13.5%	13.6%	6.8%	n<5	10.3%

f Cubat d 11 40 D .

How much d	o people risk					Grade			
harming themsel	ves when they do owing?	6	7	8	9	10	11	12	Total 7-12
Use electronic	No Risk	n<5	n<5	n<5	n<5	5.7%	n<5	n<5	3.4%
cigarettes,	Slight Risk	0.0%	n<5	6.2%	10.1%	n<5	10.2%	12.4%	7.9%
JUUL	Moderate Risk	12.3%	31.5%	29.6%	28.1%	25.0%	34.1%	33.7%	30.4%
	Great Risk	72.6%	50.7%	55.6%	48.3%	50.0%	45.5%	42.7%	48.5%
	I Don't Know.	13.7%	9.6%	7.4%	11.2%	14.8%	6.8%	9.0%	9.8%
Vape/Juul	No Risk	n<5	n<5	n<5	n<5	5.7%	n<5	n<5	3.6%
flavored liquids	Slight Risk	n<5	n<5	n<5	10.1%	8.0%	12.5%	9.0%	8.3%
	Moderate Risk	11.0%	26.7%	25.9%	29.2%	23.9%	30.7%	33.7%	28.4%
	Great Risk	72.6%	54.7%	60.5%	44.9%	45.5%	46.6%	44.9%	49.1%
	I Don't Know.	11.0%	9.3%	7.4%	13.5%	17.0%	6.8%	9.0%	10.6%
Vape/Juul	No Risk	n<5	3.0%						
tobacco or	Slight Risk	0.0%	n<5	n<5	9.1%	n<5	9.2%	11.2%	6.9%
nicotine	Moderate Risk	9.6%	20.5%	19.8%	20.5%	19.5%	31.0%	27.0%	23.3%
	Great Risk	76.7%	60.3%	66.7%	53.4%	56.3%	50.6%	47.2%	55.3%
	I Don't Know.	12.3%	11.0%	9.9%	14.8%	14.9%	6.9%	11.2%	11.4%
Vape/Juul	No Risk	n<5	n<5	n<5	n<5	8.0%	5.7%	6.7%	4.8%
marijuana or	Slight Risk	0.0%	n<5	n<5	7.9%	8.0%	13.8%	16.9%	9.6%
THC	Moderate Risk	11.1%	18.9%	13.8%	25.8%	13.6%	24.1%	25.8%	20.5%
	Great Risk	69.4%	58.1%	71.3%	49.4%	53.4%	49.4%	41.6%	53.3%
	I Don't Know.	16.7%	13.5%	10.0%	14.6%	17.0%	6.9%	9.0%	11.8%

Table 16. Perceived Harm of Substance Use (continued)

would be for you to do the following? 6 7 8 9 10 11 12 Total 7-12 Smoke tobacco Not At All Wrong A Little Bit Wrong Very Wrong 0.0% n<5 8.8% 9.0% 10.2% 28.9% 23.9% 28.8% 28.9% 21.3% 26.1% 32.6% 28.9% 27.0% Use electronic A Little Bit Wrong n<5 n<5 7.9% 15.9% 30.2% 36.7% 16.8% JULL Very Wrong 76.1% 66.3% 10.1% 15.9% 30.2% 36.7% 16.8% electronic A Little Bit Wrong n<5 n<5 7.9% 15.9% 30.2% 36.7% 14.4% 21.9% JULL Very Wrong 76.4% 65.8% 49.4% 56.1% 50.0% 20.9% 17.8% 42.0% Drink alcohol Not At All Wrong n<5 n<5 9.1% 11.6% 13.3% 7.1% 11.9% 21.6% 17.0% 13.8% 15.3% 36.9% 36.9% 27.7% <th>How wrong do</th> <th>your friends feel it</th> <th></th> <th></th> <th></th> <th></th> <th>Grade</th> <th></th> <th></th> <th></th>	How wrong do	your friends feel it					Grade			
Smoke tobacco Not At All Wrong 0.0% n<5			6	7	8	9	10	11	12	Total 7-12
Wrong Very Wrong 23.9% 76.1% 28.8% 67.1% 23.8% 66.3% 21.3% 66.3% 26.1% 55.7% 32.6% 32.6% 28.9% 31.1% 27.0% 52.1% Use electronic cigarettes, JUUL Not At All Wrong Very Wrong n<5 n<5 n<5 7.9% 15.9% 30.2% 36.7% 16.8% JUUL A Little Bit Wrong Very Wrong n<5 n<5 n<5 7.9% 15.9% 30.2% 36.7% 42.9% Drink alcohol Not At All Wrong A Little Bit Wrong n<5 0.0% n<5 13.6% 15.9% 30.2% 38.9% 23.4% Drink alcohol Not At All Wrong Very Wrong n<5 0.0% n<5 1.7.5% 9.1% 11.6% 13.3% 7.1% (1 or 2 mearly every Wrong A Little Bit Wrong Very Wrong 0.0% 0.0% n<5 n<5 9.1% 11.6% 33.3% 7.5% (5+, 1-2 wdw) Not At All Wrong Very Wrong 0.0% 0.0% n<5 n<5 5.7% 32.6% 30.0% 22.6% 22.7% 21.6% 33.6% 22.4% <	Smoke	Not At All Wrong	0.0%	0.0%	n<5	n<5	8.0%	8.1%	16.7%	6.7%
Very Wrong 76.1% 67.1% 66.3% 55.7% 32.8% 31.1% 52.1% use electronic cigarettes, JUUL Not At All Wrong A Little Bit Wrong n<5	tobacco	A Little Bit Wrong	0.0%	n<5	8.8%	9.0%	10.2%	26.7%	23.3%	14.3%
Use electronic cigarettes, JUUL Not At All Wrong A Little Bit Wrong Very Wrong n<5 12.3% 76.4% n<5 12.3% 65.8% n<5 16.0% 7.9% 15.9% 77.0% 15.9% 18.2% 27.9% 20.9% 31.1% 19.4% Drink alcohol (1 or 2 nearly every day) Not At All Wrong A Little Bit Wrong Very Wrong n<5 7.4% 0.0% 65.8% n<5 9.1% 13.6% 15.9% 15.9% 48.8% 48.8% 50.0% 50.0% 20.9% 23.4% 22.6% Drink alcohol (1 or 2 nearly every day) Not At All Wrong A Little Bit Wrong 46.7% n<5 n<5		Wrong	23.9%	28.8%	23.8%	21.3%	26.1%	32.6%	28.9%	27.0%
electronic cigarettes, JUUL A Little Bit Wrong Very Wrong n<5 12.3% 19.4% 16.0% 20.5% 10.1% 32.1% 15.9% 27.0% 27.9% 18.2% 31.1% 20.9% 14.4% 21.9% Drink alcohol A Little Bit Wrong Very Wrong n<5		Very Wrong	76.1%	67.1%	66.3%	66.3%	55.7%	32.6%	31.1%	52.1%
cigarettes, JUUL Wrong Very Wrong 19.4% 76.4% 20.5% 65.8% 32.1% 49.4% 27.0% 55.1% 18.2% 50.0% 20.9% 20.9% 14.4% 17.8% 21.9% 42.0% Drink alcohol Not At All Wrong A Little Bit Wrong n<5	Use	Not At All Wrong	n<5	n<5	n<5	7.9%	15.9%	30.2%	36.7%	16.8%
JUUL Very Wrong 76.4% 65.8% 49.4% 55.1% 50.0% 20.9% 17.8% 42.0% Drink alcohol Not At All Wrong n<5 13.6% 15.9% 48.8% 50.0% 23.4% A Little Bit Wrong n<5 11.1% 17.5% 9.1% 21.6% 16.3% 22.6% 23.4% Very Wrong 25.4% 29.2% 30.0% 21.6% 17.0% 17.4% 11.1% 20.5% Very Wrong 67.6% 59.7% 50.0% 55.7% 45.5% 17.4% 13.3% 38.9% Drink alcohol Not At All Wrong 0.0% n<5 n<5 9.1% 11.6% 13.3% 7.1% day Very Wrong 80.0% 74.0% 83.0% 64.0% 55.7% 36.0% 30.0% 52.6% day Wrong 0.0% n<5 n<5 5.7% 12.9% 7.8% 2.5% day Wrong 0.0% n<5 n<5 5.6% 13.8%	electronic	A Little Bit Wrong	n<5		16.0%	10.1%			31.1%	19.4%
Drink alcohol A Little Bit Wrong Wrong Very Wrong n <th< td=""><td>•</td><td>0</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>21.9%</td></th<>	•	0								21.9%
A Little Bit Wrong Very Wrong n<5 11.1% 17.5% 9.1% 21.6% 16.3% 25.6% 17.2% Wrong Very Wrong 25.4% 29.2% 30.0% 21.6% 17.0% 17.4% 11.1% 20.5% Drink alcohol (1 or 2 nearly every day) Not At All Wrong Very Wrong 0.0% n<5	JUUL	Very Wrong	76.4%	65.8%	49.4%	55.1%	50.0%	20.9%	17.8%	42.0%
Wrong Very Wrong 25.4% 67.6% 29.2% 59.7% 30.0% 50.7% 21.6% 55.7% 17.4% 45.5% 11.1% 13.3% 20.5% 38.9% Drink alcohol (1 or 2 nearly every day) Not At All Wrong Very Wrong 0.0% 16.7% 0.0% 21.9% n<5	Drink alcohol	-								23.4%
Very Wrong 67.6% 59.7% 50.0% 55.7% 45.5% 17.4% 13.3% 38.9% Drink alcohol (1 or 2 nearly every day) Not At All Wrong Very Wrong 0.0% 16.7% 0.0% 21.9% 0.75 n<5		Ŭ								
Drink alcohol (1 or 2 nearly every day) Not At All Wrong Very Wrong 0.0% n<5 0.0% n<5 n<5 9.1% n<5 11.6% n<5 13.3% n<7.1% 7.1% 12.6% n<5 Drink alcohol (ay) A Little Bit Wrong Very Wrong 0.0% 0.0% n<5		U								
(1 or 2 nearly every day) A Little Bit Wrong Wrong n<5 16,7% n<5 21.9% 9.9% 6.7% 13.8% 17.4% 21.1% 12.6% Drink alcohol (5+, 1-2 x/wk) Not At All Wrong A Little Bit Wrong Wrong 0.0% 0.0% n<5 n<5 n<5 8.6% 5.7% 12.9% 17.8% 7.5% Use marijuana Not At All Wrong A Little Bit Wrong wrong 0.0% 0.0% n<5 n<5 13.8% 15.3% 22.2% 12.1% Use marijuana Not At All Wrong A Little Bit Wrong wrong 0.0% 0.0% n<5 10.1% 17.2% 43.5% 54.4% 22.7% Mis-use prescription drugs to get high Not At All Wrong A Little Bit Wrong Wrong 0.0% 0.0% n<5 n<5 n<5 n<5 5.6% 23.5% 54.4% 22.7% Mis-use prescription drugs to get high Not At All Wrong A Little Bit Wrong A Little Bit Wrong 0.0% n<5 n<5 n<5 n<5 5.6% 2.8% Mis-use prescription drugs to get high Not At All Wrong 0.0% n<5 n<5 n<5 5.6% 2.8% Mis-use prescription Not At All Wrong n<5 n<5		Very Wrong	67.6%	59.7%	50.0%	55.7%	45.5%	17.4%	13.3%	38.9%
nearly every day) Wrong Very Wrong 16.7% 80.6% 21.9% 74.0% 25.9% 63.0% 24.7% 64.0% 21.6% 55.7% 34.9% 36.0% 35.6% 30.0% 27.7% 52.6% Drink alcohol (5+, 1-2 x/wk) Not At All Wrong Very Wrong 0.0% 16.7% 0.0% 20.5% n<5		0								7.1%
day) Very Wrong 80.6% 74.0% 63.0% 64.0% 55.7% 36.0% 30.0% 52.6% Drink alcohol (5+, 1-2 x/wk) Not At All Wrong Very Wrong 0.0% 0.0% n<5 n<5 5.7% 12.9% 17.8% 7.5% Use marijuana Not At All Wrong Very Wrong 0.0% 0.0% n<5 10.1% 17.2% 43.5% 54.4% 22.2% 12.1% Use marijuana Not At All Wrong Mrong Very Wrong 0.0% 0.0% n<5 10.1% 17.2% 43.5% 54.4% 22.7% Use marijuana Not At All Wrong Mrong Very Wrong 0.0% 0.0% n<5 10.1% 17.2% 43.5% 54.4% 22.7% Mis-use prescription drugs to get high Not At All Wrong Wrong 0.0% 0.0% n<5 n<5 n<5 5.6% 2.8% Gamble (scratch tickets, online, sports, Not At All Wrong 0.0% 0.0% n<5 n<5 5.7% 7.0% 13.3% 7.2% Mis-use prescription high Not At All Wrong n<5	•	0								
Drink alcohol (5+, 1-2) x/wk) Not At All Wrong A Little Bit Wrong Wrong Very Wrong 0.0% 0.0% n<5 x/sk n<5 8.6% 5.7% 5.6% 12.9% 13.8% 17.8% 5.3% 7.5% 22.2% Use marijuana Not At All Wrong A Little Bit Wrong Very Wrong 0.0% 0.0% 0.0% 0.0% n<5 23.5% 25.8% 19.5% 34.1% 27.8% 25.4% Use marijuana Not At All Wrong A Little Bit Wrong Wrong 0.0% 0.0% n<5		0								
(5+, 1-2 x/wk) A Little Bit Wrong Wrong Very Wrong 0.0% 16.7% n<5 8.6% 5.6% 13.8% 15.3% 22.2% 12.1% Use marijuana Not At All Wrong A Little Bit Wrong 0.0% n<5	day)	Very Wrong	80.6%	74.0%	63.0%	64.0%	55.7%	36.0%	30.0%	52.6%
x/wk) Wrong Very Wrong 16.7% 83.3% 20.5% 75.3% 23.5% 66.7% 25.8% 64.0% 19.5% 60.9% 34.1% 37.6% 27.8% 32.2% 25.4% 55.0% Use marijuana Not At All Wrong A Little Bit Wrong Wrong 0.0% 16.9% 0.0% 15.1% 0.1% 24.7% 10.1% 16.9% 17.2% 43.5% 54.4% 22.7% Mis-use prescription drugs to get high Not At All Wrong Very Wrong 0.0% 81.7% 0.0% 76.7% 0.0% 63.0% 17.2% 13.8% 18.8% 15.6% 12.8% Mis-use prescription drugs to get high Not At All Wrong Very Wrong 0.0% 0.0% n<5		Ŭ								7.5%
Very Wrong 83.3% 75.3% 66.7% 64.0% 60.9% 37.6% 32.2% 55.0% Use marijuana Not At All Wrong A Little Bit Wrong Wrong Very Wrong 0.0% 0.0% n<5 10.1% 17.2% 43.5% 54.4% 22.7% Mis-use prescription drugs to get high Not At All Wrong A Little Bit Wrong Wrong 0.0% 0.0% n<5 n<5 n<5 5.6% 2.8% Gamble (scratch tickets, online, sports, Not At All Wrong 0.0% 0.0% n<5 n<5 n<5 5.6% 2.8% Wrong Not At All Wrong 0.0% 0.0% n<5 n<5 n<5 5.6% 2.8% Mis-use Not At All Wrong 0.0% 0.0% n<5 n<5 n<5 5.6% 2.8% Mis-use Not At All Wrong 0.0% 0.0% n<5 n<5 5.7% 7.0% 13.3% 7.2% Mis-use Not At All Wrong n<5 n<5 10.1% 19.3% 15.9% 34.9% 26.7% 22.5%	•	U								
Use marijuana Not At All Wrong A Little Bit Wrong Wrong 0.0% n<5 n<5 10.1% 9.9% 17.2% 9.0% 43.5% 18.8% 54.4% 15.6% 22.7% 12.8% Mis-use prescription drugs to get high Not At All Wrong A Little Bit Wrong 0.0% 0.0% 0.0% 0.0% n<5	x/wk)	U U								
marijuana A Little Bit Wrong Wrong n<5 8.2% 9.9% 9.0% 13.8% 18.8% 15.6% 12.8% Wrong Very Wrong 16.9% 15.1% 24.7% 16.9% 17.2% 15.3% 11.1% 16.6% Mis-use prescription drugs to get high Not At All Wrong 0.0% 0.0% n<5 n<5 n<5 n<5 5.6% 2.8% Mis-use prescription drugs to get high Not At All Wrong 0.0% 0.0% n<5 n<5 n<5 n<5 5.6% 2.8% Mis-use prescription drugs to get high Not At All Wrong 0.0% 0.0% n<5 n<5 n<5 5.7% 7.0% 13.3% 7.2% Gamble (scratch tickets, online, sports, Not At All Wrong n<5 n<5 12.3% 14.6% 15.9% 29.1% 44.4% 21.0% Mrong 18.3% 24.7% 28.4% 29.2% 22.7% 23.3% 24.4% 20.4% Mrong 18.3% 24.7% 28.4% 29.2% 22.7% 23.3% 16.7% 23.9%		Very Wrong	83.3%	75.3%	66.7%	64.0%	60.9%	37.6%	32.2%	55.0%
Wrong Very Wrong 16.9% 15.1% 24.7% 16.9% 17.2% 15.3% 11.1% 16.6% Mis-use prescription drugs to get high Not At All Wrong A Little Bit Wrong 0.0% 0.0% n<5 n<5 n<5 5.6% 2.8% Mis-use prescription drugs to get high Not At All Wrong 0.0% 0.0% n<5 n<5 5.7% 5.7% 7.0% 13.3% 7.2% Mis-use prescription drugs to get high Not At All Wrong 0.0% 0.0% n<5 n<5 5.7% 5.7% 7.0% 13.3% 7.2% Gamble (scratch tickets, online, sports, Not At All Wrong n<5 n<5 12.3% 14.6% 15.9% 29.1% 44.4% 21.0% Mrong 12.7% 19.2% 18.5% 18.0% 18.2% 23.3% 24.4% 20.4%										22.7%
Very Wrong 81.7% 76.7% 63.0% 64.0% 51.7% 22.4% 18.9% 47.9% Mis-use prescription drugs to get high Not At All Wrong A Little Bit Wrong Wrong 0.0% n<5 0.0% n<5 n<5 n<5 n<5 5.6% 2.8% Mis-use prescription drugs to get high Not At All Wrong Wrong 0.0% n<5 n<5 n<5 n<5 5.7% 7.0% 13.3% 7.2% Gamble (scratch tickets, online, sports, Not At All Wrong n<5 n<5 12.3% 14.6% 15.9% 29.1% 44.4% 21.0% Miseuse Wrong 12.7% 19.2% 18.5% 18.0% 18.2% 23.3% 24.4% 20.4% Miseuse Wrong 18.3% 24.7% 28.4% 29.2% 22.7% 23.3% 16.7% 23.9%	marijuana	0								
Mis-use prescription drugs to get high Not At All Wrong A Little Bit Wrong Wrong 0.0% n<5 0.0% n<5 n<5 n<5 n<5 5.6% 2.8% Gamble (scratch tickets, online, sports, Not At All Wrong 0.0% 0.0% n<5		5								
prescription drugs to get high A Little Bit Wrong n<5 n<5 n<5 5.7% 5.7% 7.0% 13.3% 7.2% drugs to get high Wrong 12.5% 15.1% 21.0% 19.3% 15.9% 34.9% 26.7% 22.5% Gamble (scratch tickets, online, sports, Not At All Wrong n<5 n<5 12.3% 14.6% 15.9% 29.1% 44.4% 21.0% Gamble (scratch tickets, online, sports, Not At All Wrong n<5 n<5 12.3% 14.6% 15.9% 29.1% 44.4% 21.0% Markets, online, sports, Not At All Wrong 12.7% 19.2% 18.5% 18.0% 18.2% 23.3% 24.4% 20.4%		Very Wrong	81.7%	76.7%	63.0%	64.0%	51.7%	22.4%	18.9%	47.9%
drugs to get high Wrong 12.5% 15.1% 21.0% 19.3% 15.9% 34.9% 26.7% 22.5% drugs to get high Very Wrong 86.1% 79.5% 72.8% 72.7% 73.9% 55.8% 54.4% 67.6% Gamble (scratch tickets, online, sports, Not At All Wrong n<5 n<5 12.3% 14.6% 15.9% 29.1% 44.4% 21.0% Gamble (scratch tickets, online, Not At All Wrong 12.7% 19.2% 18.5% 18.0% 18.2% 23.3% 24.4% 20.4%		0								2.8%
high Very Wrong 86.1% 79.5% 72.8% 72.7% 73.9% 55.8% 54.4% 67.6% Gamble (scratch tickets, online, sports, Not At All Wrong n<5 n<5 12.3% 14.6% 15.9% 29.1% 44.4% 21.0% Gamble (scratch tickets, online, Not At All Wrong 12.7% 19.2% 18.5% 18.0% 18.2% 23.3% 24.4% 20.4% Sports, Wrong 18.3% 24.7% 28.4% 29.2% 22.7% 23.3% 16.7% 23.9%		0								
Gamble (scratch tickets, online, sports, Not At All Wrong n<5 n<5 12.3% 14.6% 15.9% 29.1% 44.4% 21.0% (scratch tickets, online, sports, A Little Bit Wrong 12.7% 19.2% 18.5% 18.0% 18.2% 23.3% 24.4% 20.4%	• •									
(scratch tickets, A Little Bit Wrong 12.7% 19.2% 18.5% 18.0% 18.2% 23.3% 24.4% 20.4% online, Wrong 18.3% 24.7% 28.4% 29.2% 22.7% 23.3% 16.7% 23.9% sports,	high	Very Wrong	86.1%	79.5%	72.8%	72.7%	73.9%	55.8%	54.4%	67.6%
tickets, online, sports, A Little Bit Wrong 12.7% 19.2% 18.5% 18.0% 18.2% 23.3% 24.4% 20.4% online, sports, Wrong 18.3% 24.7% 28.4% 29.2% 22.7% 23.3% 16.7% 23.9%		Not At All Wrong	n<5	n<5	12.3%	14.6%	15.9%	29.1%	44.4%	21.0%
online, Wrong 18.3% 24.7% 28.4% 29.2% 22.7% 23.3% 16.7% 23.9% sports,	•	A Little Bit Wrong	12.7%	19.2%	18.5%	18.0%	18.2%	23.3%	24.4%	20.4%
	online,	Wrong	18.3%	24.7%	28.4%	29.2%	22.7%	23.3%	16.7%	23.9%
		Very Wrong	64.8%	52.1%	40.7%	38.2%	43.2%	24.4%	14.4%	34.7%

Table 17. Peer Attitudes Toward Substance Use

Table 18. Perceived Availability

					G	rade			
If you wanted to, ho be for you to get t		6	7	8	9	10	11	12	Tota 7-12
Beer, wine, wine	Very Easy	8.2%	n<5	19.8%	28.1%	27.3%	33.0%	38.9%	26.2%
coolers, or hard	Sort of Easy	16.4%	25.7%	21.0%	33.7%	25.0%	30.7%	34.4%	28.6%
liquor	Sort of Hard	17.8%	17.6%	32.1%	16.9%	20.5%	17.0%	15.6%	19.79
	Very Hard	57.5%	51.4%	27.2%	21.3%	27.3%	19.3%	11.1%	25.49
Cigarettes	Very Easy	n<5	n<5	n<5	6.7%	11.4%	14.8%	18.9%	10.00
	Sort of Easy	n<5	n<5	12.3%	10.1%	n<5	23.9%	27.8%	14.5
	Sort of Hard	6.8%	n<5	11.1%	18.0%	19.3%	11.4%	22.2%	14.9
	Very Hard	89.0%	87.8%	72.8%	65.2%	64.8%	50.0%	31.1%	60.7
Electronic	Very Easy	n<5	n<5	7.4%	13.5%	21.8%	27.6%	39.3%	19.5 ⁰
cigarettes, JUUL	Sort of Easy	n<5	n<5	13.6%	12.4%	18.4%	24.1%	27.0%	17.0
	Sort of Hard	n<5	9.6%	14.8%	12.4%	16.1%	14.9%	13.5%	13.7
	Very Hard	92.9%	86.3%	64.2%	61.8%	43.7%	33.3%	20.2%	49.8
Marijuana	Very Easy	n<5	0.0%	n<5	10.2%	19.3%	33.3%	33.3%	17.5
	Sort of Easy	n<5	n<5	n<5	11.4%	13.6%	19.5%	32.2%	14.4
	Sort of Hard	n<5	n<5	17.3%	10.2%	14.8%	13.8%	15.6%	13.0
	Very Hard	94.4%	93.2%	76.5%	68.2%	52.3%	33.3%	18.9%	55.04
Illicit drugs like	Very Easy	n<5	0.0%	0.0%	n<5	6.9%	n<5	10.0%	4.4%
cocaine, heroin,	Sort of Easy	0.0%	0.0%	n<5	n<5	n<5	11.4%	8.9%	4.8%
LSD, or	Sort of Hard	0.0%	0.0%	n<5	6.7%	12.6%	19.3%	23.3%	11.6
amphetamines	Very Hard	98.6%	100.0%	93.8%	86.5%	79.3%	64.8%	57.8%	79.2
A prescription	Very Easy	n<5	n<5	n<5	9.0%	6.8%	n<5	7.8%	5.9%
Irug without your	Sort of Easy	0.0%	n<5	13.6%	10.1%	10.2%	14.8%	16.7%	12.0
own prescription (such as	Sort of Hard	n<5	8.1%	19.8%	15.7%	17.0%	23.9%	18.9%	17.50
OxyContin, Vicodin, or Ritalin)	Very Hard	90.4%	85.1%	61.7%	65.2%	65.9%	56.8%	56.7%	64.69

Table 19. Antisocial Behavior				•				
				Gra	ade			
In the past year, did you do any of the following?	6	7	8	9	10	11	12	Total 7-12
Steal something less than \$100	6.8%	18.9%	17.3%	17.4%	10.0%	11.0%	20.7%	15.8%
Cheat on a test at school	9.6%	20.0%	28.4%	24.4%	13.8%	26.8%	19.5%	22.1%
Sell illegal drugs	0.0%	0.0%	n<5	n<5	n<5	n<5	8.5%	2.9%
Ride as a passenger with a driver (21 or older) under the influence of drugs or alcohol	11.0%	14.7%	13.9%	11.6%	n<5	15.9%	14.6%	12.4%
Ride as a passenger with a driver (under 21) under the influence of drugs or alcohol	n<5	n<5	n<5	5.8%	6.3%	12.2%	24.4%	9.8%
Drive while under the influence of drugs or alcohol	0.0%	n<5	0.0%	0.0%	0.0%	n<5	13.4%	3.2%
Tease or taunt someone with the idea of hurting their feelings	11.0%	24.0%	23.5%	18.6%	16.3%	18.3%	20.7%	20.1%
Experience bullying / mean behavior online?	23.3%	45.3%	33.3%	22.1%	21.3%	26.8%	19.5%	27.7%
Bully /say mean comments to someone online?	6.8%	20.0%	13.6%	8.1%	8.8%	n<5	8.5%	10.2%

					Gra	de			
	ou disagree or agree following?	6	7	8	9	10	11	12	Total
	-								7-12
l feel lonely.	Strongly Disagree	46.6%	36.0%	35.8%	44.2%	39.2%	37.8%	39.0%	38.7%
	Disagree	35.6%	36.0%	35.8%	30.2%	35.4%	34.1%	35.4%	34.5%
	Agree	9.6%	25.3%	23.5%	17.4%	17.7%	20.7%	15.9%	20.0%
	Strongly Agree	8.2%	n<5	n<5	8.1%	7.6%	7.3%	9.8%	6.8%
I am good at	Strongly Disagree	n<5	6.7%	8.6%	7.1%	11.7%	n<5	n<5	6.6%
making	Disagree	8.3%	13.3%	23.5%	14.1%	16.9%	12.2%	n<5	14.0%
decisions.	Agree	59.7%	56.0%	48.1%	54.1%	41.6%	63.4%	59.8%	54.0%
	Strongly Agree	29.2%	24.0%	19.8%	24.7%	29.9%	22.0%	31.7%	25.4%
I have trouble	Strongly Disagree	18.1%	12.2%	11.3%	17.6%	19.0%	15.9%	14.6%	15.2%
concentrating.	Disagree	45.8%	21.6%	33.8%	27.1%	20.3%	26.8%	36.6%	27.7%
	Agree	22.2%	37.8%	40.0%	32.9%	40.5%	41.5%	37.8%	38.5%
	Strongly Agree	13.9%	28.4%	15.0%	22.4%	20.3%	15.9%	11.0%	18.6%
I believe that my	Strongly Disagree	n<5	8.2%	n<5	n<5	n<5	n<5	n<5	3.6%
life is going in a	Disagree	8.2%	13.7%	11.4%	10.5%	14.1%	8.5%	8.5%	11.0%
positive	Agree	41.1%	47.9%	46.8%	45.3%	46.2%	54.9%	43.9%	47.6%
direction.	Strongly Agree	46.6%	30.1%	39.2%	43.0%	35.9%	32.9%	45.1%	37.8%
l get enough	Strongly Disagree	15.1%	12.0%	12.5%	20.0%	19.0%	15.9%	14.6%	15.7%
sleep on most	Disagree	17.8%	24.0%	23.8%	20.0%	29.1%	30.5%	37.8%	27.7%
days.	Agree	45.2%	45.3%	38.8%	31.8%	34.2%	47.6%	41.5%	39.9%
	Strongly Agree	21.9%	18.7%	25.0%	28.2%	17.7%	6.1%	6.1%	16.6%
l often feel	Strongly Disagree	16.4%	14.7%	7.5%	14.0%	10.4%	9.8%	13.4%	11.6%
stressed.	Disagree	43.8%	26.7%	25.0%	20.9%	28.6%	14.6%	17.1%	21.9%
	Agree	23.3%	42.7%	41.3%	31.4%	35.1%	41.5%	47.6%	39.9%
	Strongly Agree	16.4%	16.0%	26.3%	33.7%	26.0%	34.1%	22.0%	26.5%
l often feel	Strongly Disagree	15.1%	17.6%	12.3%	16.5%	20.5%	20.7%	26.8%	19.2%
nervous or	Disagree	38.4%	31.1%	35.8%	32.9%	30.8%	28.0%	28.0%	31.0%
anxious	Agree	31.5%	35.1%	30.9%	28.2%	30.8%	30.5%	31.7%	31.1%
	Strongly Agree	15.1%	16.2%	21.0%	22.4%	17.9%	20.7%	13.4%	18.6%
l often feel	Strongly Disagree	30.6%	21.6%	11.1%	31.8%	25.3%	18.3%	37.8%	24.4%
angry with	Disagree	48.6%	35.1%	49.4%	35.3%	46.8%	50.0%	40.2%	43.0%
someone or	Agree	15.3%	32.4%	28.4%	23.5%	19.0%	23.2%	19.5%	24.1%
something	Strongly Agree	n<5	10.8%	11.1%	9.4%	8.9%	8.5%	n<5	8.4%

Table 20. Self Conc	ent (continued)		DRAFT	Report					
	• • •				Gra	de			
How much do you with the fo		6	7	8	9	10	11	12	Total 7-12
In the past 12 months, I have felt	Strongly Disagree	56.2%	48.6%	48.1%	57.6%	51.9%	44.4%	51.2%	50.3%
sad or hopeless almost every day	Disagree	27.4%	33.8%	28.4%	21.2%	26.6%	37.0%	29.3%	29.4%
for 2 weeks or more so that it stopped me from	Agree	11.0%	12.2%	13.6%	11.8%	16.5%	13.6%	14.6%	13.7%
doing my usual activities.	Strongly Agree	n<5	n<5	9.9%	9.4%	n<5	n<5	n<5	6.6%
In the past 12 months, I have	Strongly Disagree	74.0%	78.4%	62.5%	76.7%	70.9%	71.6%	69.5%	71.5%
had thoughts of committing suicide.	Disagree	15.1%	10.8%	16.3%	11.6%	16.5%	19.8%	17.1%	15.5%
	Agree	8.2%	n<5	12.5%	5.8%	8.9%	n<5	9.8%	7.7%
	Strongly Agree	n<5	6.8%	8.8%	5.8%	n<5	n<5	n<5	5.3%
In the past 12 months, I have	Strongly Disagree	91.8%	85.3%	91.3%	91.9%	87.2%	87.8%	89.0%	88.7%
had a poyfriend/girlfriend hit, slap or	Disagree	n<5	10.7%	6.3%	n<5	7.7%	11.0%	11.0%	8.4%
physically hurt me on purpose	Agree	n<5	n<5	n<5	n<5	n<5	n<5	0.0%	1.7%
	Strongly Agree	0.0%	n<5	n<5	n<5	n<5	0.0%	0.0%	1.2%
When I have a problem that is	Strongly Disagree	6.8%	11.1%	n<5	7.1%	10.1%	n<5	6.1%	6.5%
bothering me, I have someone that I can talk to.	Disagree	11.0%	12.5%	15.0%	8.2%	6.3%	9.8%	7.3%	9.7%
	Agree	30.1%	27.8%	36.3%	42.4%	44.3%	45.1%	56.1%	42.4%
	Strongly Agree	52.1%	48.6%	46.3%	42.4%	39.2%	42.7%	30.5%	41.4%

Lyme / Old Lyme Youth Survey 2019 DRAFT Report Section 4. Family Domain

How wrona da	your parents feel it					Grade			
•	or you to do the	6	7	8	9	10	11	12	Total
fol	lowing?								7-12
Smoke	Not At All Wrong	0.0%	0.0%	0.0%	n<5	n<5	n<5	n<5	1.4%
tobacco	A Little Bit Wrong	0.0%	0.0%	n<5	n<5	n<5	n<5	6.7%	2.4%
	Wrong	n<5	9.3%	12.5%	8.0%	10.2%	15.1%	21.1%	12.9%
	Very Wrong	95.8%	90.7%	86.3%	89.8%	85.2%	80.2%	70.0%	83.3%
Use	Not At All Wrong	0.0%	0.0%	0.0%	n<5	n<5	n<5	n<5	1.6%
electronic	A Little Bit Wrong	0.0%	n<5	n<5	n<5	n<5	n<5	5.6%	3.2%
cigarettes,	Wrong	7.0%	9.3%	11.3%	8.0%	12.5%	21.8%	25.6%	15.2%
JUUL	Very Wrong	93.0%	89.3%	86.3%	87.5%	80.7%	73.6%	66.7%	80.1%
Drink alcohol	Not At All Wrong	n<5	n<5	n<5	n<5	n<5	n<5	6.7%	3.4%
	A Little Bit Wrong	n<5	13.3%	7.8%	12.5%	12.5%	28.7%	28.9%	17.9%
	Wrong	16.9%	10.7%	19.5%	19.3%	18.2%	34.5%	25.6%	21.8%
	Very Wrong	80.3%	74.7%	71.4%	65.9%	64.8%	33.3%	38.9%	57.0%
Drink alcohol	Not At All Wrong	n<5	0.0%	0.0%	n<5	n<5	n<5	n<5	1.6%
(1 or 2	A Little Bit Wrong	n<5	2.2%						
nearly every	Wrong	n<5	10.8%	11.3%	10.2%	11.4%	12.6%	15.6%	12.1%
day)	Very Wrong	92.9%	87.8%	86.3%	86.4%	84.1%	82.8%	78.9%	84.1%
Drink alcohol	Not At All Wrong	0.0%	0.0%	0.0%	n<5	n<5	n<5	n<5	1.6%
(5+, 1-2	A Little Bit Wrong	n<5	n<5	n<5	n<5	0.0%	n<5	n<5	2.0%
x/wk)	Wrong	n<5	n<5	8.8%	11.4%	10.3%	19.8%	16.7%	12.0%
	Very Wrong	92.9%	96.0%	87.5%	86.4%	86.2%	77.9%	75.6%	84.5%
Use	Not At All Wrong	0.0%	0.0%	0.0%	n<5	n<5	5.7%	6.7%	3.6%
marijuana	A Little Bit Wrong	n<5	0.0%	n<5	5.7%	6.8%	18.4%	20.0%	9.7%
	Wrong	7.0%	8.0%	8.9%	9.1%	9.1%	13.8%	18.9%	11.5%
	Very Wrong	91.5%	92.0%	87.3%	81.8%	79.5%	62.1%	54.4%	75.2%
Mis-use	Not At All Wrong	0.0%	0.0%	0.0%	0.0%	n<5	n<5	n<5	1.4%
prescription	A Little Bit Wrong	0.0%	0.0%	0.0%	n<5	0.0%	0.0%	0.0%	n<5
drugs to get	Wrong	n<5	6.7%	6.3%	6.9%	n<5	n<5	9.0%	5.9%
high	Very Wrong	94.4%	93.3%	93.7%	89.7%	92.0%	95.4%	88.8%	92.1%
Gamble	Not At All Wrong	n<5	n<5	n<5	6.8%	11.4%	14.9%	18.9%	10.6%
(scratch tickets,	A Little Bit Wrong	n<5	15.1%	12.5%	20.5%	14.8%	28.7%	28.9%	20.5%
online,	Wrong	26.8%	19.2%	31.3%	28.4%	23.9%	19.5%	26.7%	24.8%
sports,	Very Wrong	66.2%	60.3%	52.5%	44.3%	50.0%	36.8%	25.6%	44.1%

Table 22. Family Management

					G	rade			
		6	7	8	9	10	11	12	Total 7-12
When I am away	Definitely NOT True	n<5	n<5	n<5	n<5	0.0%	0.0%	n<5	n<5
from home, my	Mostly NOT True	n<5	2.7%						
parent/guardian(s)	Mostly True	12.7%	29.3%	29.6%	27.9%	29.1%	39.0%	53.7%	35.0%
know where I am and who I am with.	Definitely True	87.3%	68.0%	65.4%	69.8%	69.6%	57.3%	40.2%	61.5%
If I break one of	Definitely NOT True	7.0%	n<5	n<5	n<5	n<5	n<5	7.4%	4.0%
my parent/	Mostly NOT True	n<5	17.6%	10.0%	n<5	n<5	13.6%	11.1%	10.1%
guardian(s) rules, l	Mostly True	40.8%	41.9%	37.5%	39.5%	33.3%	32.1%	42.0%	37.6%
am usually disciplined.	Definitely True	46.5%	39.2%	48.8%	52.3%	60.3%	49.4%	39.5%	48.4%
My family has clear	Definitely NOT True	17.3%	26.3%	19.8%	12.8%	17.0%	6.5%	7.9%	14.4%
rules discouraging	Mostly NOT True	n<5	n<5	n<5	n<5	n<5	0.0%	n<5	1.8%
me from smoking cigarettes or using	Mostly True	n<5	n<5	n<5	10.6%	8.0%	15.1%	17.8%	10.5%
tobacco.	Definitely True	80.0%	68.4%	74.1%	73.4%	72.0%	78.5%	72.3%	73.3%
My family has clear	Definitely NOT True	18.7%	26.3%	18.8%	9.7%	16.0%	5.4%	6.9%	13.2%
rules discouraging	Mostly NOT True	n<5	n<5	n<5	6.5%	n<5	n<5	n<5	2.7%
me from using e-	Mostly True	0.0%	7.9%	n<5	9.6%	11.0%	21.5%	25.7%	13.4%
cigarettes, JUUL	Definitely True	80.0%	63.2%	75.0%	74.2%	71.0%	81.7%	71.3%	73.0%
My family has clear	Definitely NOT True	17.3%	26.3%	19.8%	12.8%	18.0%	7.6%	7.0%	14.7%
rules discouraging	Mostly NOT True	6.7%	n<5	6.2%	8.5%	n<5	5.4%	5.0%	5.3%
me from drinking	Mostly True	6.7%	10.5%	7.4%	16.0%	25.0%	35.9%	34.0%	22.6%
alcoholic beverages.	Definitely True	69.3%	59.2%	66.7%	62.8%	54.0%	51.1%	54.0%	57.4%
My family has clear	Definitely NOT True	20.0%	26.3%	19.8%	13.8%	17.0%	7.5%	5.0%	14.2%
rules discouraging	Mostly NOT True	0.0%	n<5	n<5	n<5	5.0%	n<5	5.9%	3.7%
me from using	Mostly True	0.0%	n<5	n<5	9.6%	11.0%	21.5%	25.7%	13.4%
marijuana.	Definitely True	80.0%	68.4%	75.3%	72.3%	67.0%	67.7%	63.4%	68.7%
My family has clear rules discouraging	Definitely NOT True	20.0%	25.3%	17.5%	12.8%	17.0%	7.5%	7.9%	14.1%
me from using a	Mostly NOT True	0.0%	n<5	n<5	n<5	n<5	n<5	n<5	2.6%
prescription drug not prescribed to	Mostly True	n<5	8.0%	7.5%	8.5%	9.0%	6.5%	5.9%	7.5%
me.	Definitely True	76.0%	64.0%	73.8%	74.5%	71.0%	84.9%	83.2%	75.8%

		Grade							
		6	7	8	9	10	11	12	Total
									7-12
When I have a	Definitely NOT True	8.6%	12.0%	14.8%	5.8%	n<5	12.2%	7.3%	9.3%
problem, I often talk	Mostly NOT True	15.7%	14.7%	21.0%	18.6%	16.5%	17.1%	24.4%	18.7%
about it with my	Mostly True	37.1%	34.7%	35.8%	36.0%	40.5%	35.4%	40.2%	37.2%
parent/guardian.	Definitely True	38.6%	38.7%	28.4%	39.5%	39.2%	35.4%	28.0%	34.8%
I feel very close to	Definitely NOT True	0.0%	n<5	n<5	0.0%	n<5	n<5	n<5	2.1%
my parent(s) /	Mostly NOT True	0.0%	6.8%	n<5	n<5	n<5	7.3%	9.8%	5.2%
guardian(s).	Mostly True	28.2%	20.3%	35.8%	30.2%	24.1%	29.3%	29.3%	28.2%
	Definitely True	71.8%	71.6%	60.5%	66.3%	70.9%	59.8%	58.5%	64.4%
I feel loved and	Definitely NOT True	0.0%	n<5	0.0%	0.0%	n<5	n<5	n<5	1.3%
alued by my family.	Mostly NOT True	n<5	n<5	6.2%	n<5	n<5	n<5	n<5	4.2%
	Mostly True	22.5%	16.4%	24.7%	24.7%	19.0%	25.6%	18.3%	21.5%
	Definitely True	76.1%	74.0%	69.1%	74.1%	74.7%	69.5%	76.8%	73.0%

Table 23. Parental Attachment and Positive Family Involvement

Section	5.	School	Domain
---------	----	--------	--------

		L 4		D. SCHOOI D	omum				
	erception of School Punis most severe thing that	nments			C	rade			
	appen to a student who	6	7	8	9	10	11	12	Total
•	in school doing the	0		0	0	10		12	
-	following?								7-12
Smoking a	Nothing	n<5	n<5	0.0%	0.0%	n<5	n<5	n<5	1.2%
cigarette	Sent to principal's office	n<5	8.0%	n<5	n<5	n<5	0.0%	0.0%	2.9%
	Detention	13.7%	16.0%	12.3%	11.4%	8.0%	9.1%	10.0%	10.9%
	Suspension	31.5%	37.3%	44.4%	45.5%	50.0%	58.0%	54.4%	48.8%
	Expulsion	31.5%	20.0%	14.8%	21.6%	12.5%	18.2%	16.7%	17.2%
	I don't know	17.8%	17.3%	24.7%	19.3%	22.7%	13.6%	16.7%	19.0%
With an	Nothing	n<5	0.0%	0.0%	0.0%	n<5	n<5	n<5	1.0%
alcoholic	Sent to principal's office	n<5	n<5	n<5	n<5	n<5	0.0%	0.0%	1.2%
beverage	Detention	9.6%	13.3%	8.8%	n<5	n<5	n<5	n<5	5.5%
	Suspension	32.9%	29.3%	47.5%	51.1%	55.7%	52.3%	54.4%	49.0%
	Expulsion	41.1%	32.0%	17.5%	25.0%	20.5%	29.5%	24.4%	24.8%
	l don't know	13.7%	22.7%	23.8%	18.2%	17.0%	13.6%	17.8%	18.6%
With	Nothing	n<5	n<5	0.0%	0.0%	n<5	n<5	n<5	1.2%
narijuana	Sent to principal's office	0.0%	n<5	0.0%	0.0%	n<5	0.0%	0.0%	n<5
	Detention	-n<5	n<5	n<5	n<5	n<5	0.0%	n<5	2.2%
	Suspension	23.3%	21.3%	32.5%	38.6%	40.9%	55.2%	45.6%	39.8%
	Expulsion	52.1%	50.7%	41.3%	44.3%	34.1%	32.2%	34.4%	39.0%
	I don't know	17.8%	18.7%	23.8%	15.9%	19.3%	11.5%	15.6%	17.3%
Using	Nothing	n<5	n<5	n<5	0.0%	n<5	n<5	n<5	1.4%
lectronic	Sent to principal's office	n<5	12.0%	n<5	n<5	5.7%	n<5	n<5	4.3%
igarettes,	Detention	11.0%	10.7%	16.0%	8.0%	8.0%	3.4%	6.7%	8.5%
	Suspension	38.4%	38.7%	45.7%	58.0%	55.7%	73.9%	68.9%	57.7%
	Expulsion	28.8%	22.7%	9.9%	17.0%	11.4%	6.8%	10.0%	12.6%
	I don't know	17.8%	14.7%	24.7%	14.8%	17.0%	11.4%	11.1%	15.4%
ible 25. Co	ommitment to School								
		_	_	_		irade			_
try hard to	do good work at school.	6	7	8	9	10	11	12	Tota 7-12
	efinitely NOT True	n<5	n<5	n<5	n<5	n<5	n<5	n<5	1.0%
Ν	Mostly NOT True	n<5	n<5	6.2%	n<5	n<5	n<5	7.3%	5.2%
	Mostly True	18.6%	33.8%	23.5%	25.9%	31.6%	40.7%	29.3%	30.9%
	Definitely True	78.6%	58.1%	69.1%	70.6%	64.6%	54.3%	61.0%	62.9%

Section 6. Internet / Social Media

Table 26. Internet and Social Media

		Grade									
		6	7	8	9	10	11	12	Tota 7-12		
Do your parents/ guardians have rules about your internet / social media use?	Yes	86.3%	81.3%	70.4%	58.8%	51.9%	48.8%	28.0%	55.9%		
	Sense of belonging	15.6%	19.5%	17.3%	14.9%	21.0%	15.1%	17.6%	17.6%		
	To keep updated	42.9%	55.8%	56.8%	58.5%	61.0%	63.4%	59.8%	59.5%		
Why do you use	To contact / connect with people	72.7%	70.1%	74.1%	64.9%	70.0%	71.0%	64.7%	69.0%		
the internet / social media?	To share and like posts	16.9%	36.4%	53.1%	47.9%	49.0%	55.9%	51.0%	49.3%		
	To raise awareness	10.4%	13.0%	13.6%	10.6%	13.0%	26.9%	18.6%	16.3%		
	For entertainment	74.0%	74.0%	90.1%	76.6%	74.0%	79.6%	73.5%	77.6%		
	Other	32.5%	31.2%	29.6%	12.8%	11.0%	14.0%	10.8%	17.20		
	Rejection	5.2%	6.5%	n<5	8.5%	7.0%	8.6%	10.8%	7.9%		
	Happiness	71.4%	75.3%	75.3%	64.9%	62.0%	72.0%	59.8%	67.6		
Want emotions	Boost in self esteem	24.7%	36.4%	32.1%	28.7%	30.0%	25.8%	30.4%	30.3		
do you	Jealousy	7.8%	16.9%	23.5%	18.1%	24.0%	21.5%	22.5%	21.3		
experience when	Motivation	35.1%	41.6%	51.9%	41.5%	46.0%	38.7%	39.2%	42.9		
using internet /	Inspiration	48.1%	49.4%	53.1%	45.7%	51.0%	47.3%	41.2%	47.70		
social media?	Fear of missing out	10.4%	19.5%	16.0%	21.3%	20.0%	26.9%	25.5%	21.8		
	Lower self esteem	n<5	n<5	14.8%	13.8%	11.0%	18.3%	18.6%	13.9		
	Sense of belonging	27.3%	29.9%	25.9%	22.3%	21.0%	22.6%	20.6%	23.4		
	Other	20.8%	22.1%	25.9%	19.1%	11.0%	11.8%	7.8%	15.5		
	It affects my ability to relate well to others	18.2%	22.1%	25.9%	14.9%	22.0%	15.1%	13.7%	18.69		
Overall, how	It gives me a positive outlook	44.2%	54.5%	46.9%	55.3%	48.0%	45.2%	38.2%	47.69		
does your internet/social nedia use make	It affects my ability to focus on school It gives me a feeling	9.1%	13.0%	18.5%	17.0%	19.0%	21.5%	15.7%	17.60		
you feel?	of social/emotional isolation	6.5%	19.5%	12.3%	14.9%	15.0%	11.8%	13.7%	14.49		
	It makes me feel inspired / motivated	48.6%	50.6%	43.2%	34.0%	39.0%	32.3%	22.5%	36.19		

		Grade								
		6	7	8	9	10	11	12	Tota	
									7-12	
How often do you gamble for	Daily	0.0%	0.0%	0.0%	n<5	n<5	n<5	0.0%	1.1%	
money or possessions (such as poker, lottery, sports betting,	Weekly	n<5	0.0%	n<5	n<5	0.0%	n<5	n<5	1.5%	
online bets)?	Monthly	n<5	0.0%	0.0%	n<5	n<5	n<5	n<5	2.1%	
	Less than monthly	9.7%	15.1%	13.6%	16.5%	12.5%	12.2%	19.5%	14.9%	
	Never	86.1%	84.9%	85.2%	80.0%	81.3%	80.5%	72.0%	80.5	

Section 7. Gambling

Section 8. Comparisons

Comparisons to National Data

Table 28. Comparison of Lifetime Use Rates Lyme / Old Lyme Lifetime Use Rates (2019) and National Lifetime Use Rates (MTF 2018)

	Grade 8		Grad	e 10	Grade 12		
Substance	MTF (2018)	LOL (2019)	MTF (2018)	LOL (2019)	MTF (2018)	LOL (2019)	
Cigarettes	9.1%	0.0%	16.0%	6.1%	23.8%	14.7%	
Any vaping *	21.5%	6.2%	36.9%	17.7%	42.5%	45.5%	
Alcohol	23.5%	n<5	43.0%	22.6%	58.5%	58.8%	
Marijuana	13.9%	n<5	32.6%	18.9%	43.6%	45.5%	
Cocaine	1.4%	0.0%	2.6%	0.0%	3.9%	n<5	
Crack Cocaine	0.9%	0.0%	1.0%	0.0%	1.5%	0.0%	
Ecstasy	1.6%	0.0%	2.4%	n<5	4.1%	n<5	
Hallucinogens	2.2%	0.0%	3.9%	n<5	6.6%	12.4%	
Heroin	0.6%	0.0%	0.4%	0.0%	0.8%	0.0%	
Methamphetamine	0.7%	0.0%	0.8%	0.0%	0.7%	0.0%	

*MTF- Any vaping, LOL, SERAC: Electronic cigarettes

Table 29. Comparison of Recent Use Rates Lyme / Old Lyme Recent Use Rates (2019) and National Recent Use Rates (MTF 2018)

	Grad	le 8	Grad	e 10	Grade 12		
Substance	MTF (2018)	LOL (2019)	MTF (2018)	LOL (2019)	MTF (2018)	LOL (2019)	
Cigarettes	2.2%	0.0%	4.2%	n<5	7.6%	5.9%	
Alcohol	8.2%	0.0%	18.6%	9.7%	30.2%	29.9%	
Marijuana	5.6%	n<5	16.7%	7.4%	22.2%	29.7%	
Any vaping*	10.4%	n<5	21.7%	10.4%	26.7%	24.8%	
Ecstasy	0.4%	0.0%	0.4%	n<5	0.5%	n<5	

*MTF- Any vaping, LOL, SERAC: Electronic cigarettes

Comparisons to Previous Lyme / Old Lyme Data

Figure 4. Trends in Recent Use Rates Among Lyme / Old Lyme Youth





Figure 5. Trends in Perceived Availability Among Lyme / Old Lyme Youth (% very hard)






Figure 6. Trends in Perceived Parental Disapproval Among Lyme / Old Lyme Youth (% very wrong)



Figure 7 Trends in Perceived Harm Among Lyme / Old Lyme Youth (% great risk)